

Replacement FIGURES




FIG. 1




FIG. 2






FIG. 3a








FIG. 4a




FIG. 4b




FIG. 4c

500




FIG. 5a




FIG. 5b




FIG. 6a




FIG. 6b
(EXECUTION)

FIG. 7a
INPUT ENGINE




FIG. 7b
COMMAND ENGINE




FIG. 7c
APPLICATION SUPPORT




FIG. 7d

DESIGNATION ENGINE





FIG. 7e

ENHANCEMENT ENGINE









FIG. 8e




FIG. 8f




FIG. 8g




FIG. 6a




FIG. 6b





FIG. 6c




FIG. 6e




FIG. 10-1





FIG. 10-2






FIG. 8

FIG. 5

(VI CONVERTER)




FIG. 10




FIG. 11b




FIG. 11A

USING GENERIC ROOTS
MANIPULATING THE INTERFACE
TRAVERSING THE INTERFACE
SORTING MESSAGES
MERGING MESSAGES
INTERACTING WITH THE ADDRESS BOOK
CONTROLLING DATA REMOTELY
USING ALTERNATIVES
USING ENHANCEMENTS
USING SUBSTITUTING

EMAIL
EXAMPLE
COMMAND
EXECUTION
MODULES

FIG. 12




FIG. 13

Address Book - Main Identity

File Edit View Tools Help

C-Folder-1
C-Folder-2
C-Folder-3
C-Folder-4
Group-1
Group-2

☐ CF1 Contact-1
☐ CF1 Contact-2
☐ CF1 Contact-3
☐ CF1 Contact-4

Contact Name - Properties

File Edit View Message

Look in ☐ Browse

From

To

Subject

Message

Rec Before ☐

Rec After ☐

Find Now
Stop
New Srch

Message-1
Message-2

Contact Name - Properties

SumName Home Biz Pers Other

Add
Edit
Remove
Default

OK Cancel

FIG. 13




FIG. 14




FIG. 19
NEW COMMAND/CONVERSION

FIG. 20






FIG. 21

Continue/repose/rythem




Remote Handling (predominant circumstances)



-Each potentially including data carrying
-The farms (primarily) better backed up

Illustrated using
folders, but
applies to any
such re-direction



eg: (GOTO <foldername> Messages




FIG. 1




FIG. 2





FIG. 3b






FIG. 4a

FIG. 4a




FIG. 4b





FIG. 4c



copy note - can be in either 9
to partition a system into sub-

- 1st Trackoff, is a process of analyzing it and outputting
- 2nd Trackoff, is a process of analyzing it and outputting
- 3rd Trackoff, is a process of analyzing it and outputting
- 4th Trackoff, is a process of analyzing it and outputting

FIG. 6a.




FIG. 7a




FIG. 7b




FIG. 7c

7d and 7e
Moved To
Separate Sheet




FIG. 7d

- Explicit
- Implied Designation
 - Direct/Alias
 - Inclusive/Relative
 - Anti-alias
 - Subject, Object, User
 - Cued




FIG. 7e

(e.g. seq video conferencing)




FIG. 8a




FIG. 8b




FIG. 8c





FIG. 8d

* = long-term analysis

consider
generalization
to level of
assurance
- typ. don't
like our current
potential
- where we
reliability

Conversance Engine
524 741



History Engine
525 751




FIG. 8e

FIG. 8f

Info Retriever
527 761




FIG. 8g

Reverse Security for capturing security means

Note security issues

Excutor function

Make sure download off "download act" is correct

some instructions - "attached to"

Authenticating user identities

Security

Security




FIG. 6A




FIG. 6B




FIG. 6C

600

FIG. 6D




FIG. 6E



(replace microphone with head worn microphone and speaker(s))

000

FIG. 10-1





FIG. 10-2



① ID user ← initially

(internal) ← as ID

- MIC ID (eg 2 digits) ← come ID as entering ID - can
- touch
- voice print
- localizer (eg using multiple mics to sound energy)
- acoustics
- etc.
- any other

can analyze or speaker can say into 1-N for N users
a voice print of filter ID
up or further be stored locally, with an
authentication authority or terminal
→ when unique mic ID, can easily
record, but still need ID
for user ip transfer as applicable.

~~Speech Engine~~




FIG. 8




FIG. 5
(VI Converter)

Application
Program
Screenshot

File		Edit	View	Tools	Message
News		Reply	Forward	Print	Delete Send Addresses
Inbox					
Folder	<input checked="" type="checkbox"/>	Flag	To:	From:	Subject:
<input type="checkbox"/> Mailbox	<input checked="" type="checkbox"/>		Tom	Bob	Gift
<input checked="" type="checkbox"/> Inbox			Tom	Dave	Patent
<input type="checkbox"/> Sent			Tom	Fred	Car
<input type="checkbox"/> Work			Tom	Brenda	Dinner
<input type="checkbox"/> Jokes					
<input type="checkbox"/> Trash					

FIG. 10

Email
Example
Command
Execution
Modules

Using Generic Roots

Manipulating The Interface

Traversing The Interface

Sorting Messages

Merging Messages

Interacting with the
Address Book

Controlling Data Remotely

Using Alternatives

Using Enhancements

Using Substitutes

FIG. 1A

FIG. 11B





FIG. 11B



F16.12

[illegible]

ContactName - Properties	
File Edit View Message	
Look in <input type="text"/>	<input type="button" value="Browse"/>
From <input type="text"/>	<input type="button" value="Find Now"/>
To <input type="text"/>	<input type="button" value="Stop"/>
Subject <input type="text"/>	<input type="button" value="New Strch"/>
Message <input type="text"/>	
Rec Before <input type="text"/>	<input type="button" value="OK"/> <input type="button" value="Cancel"/>
Rec After <input type="text"/>	<input type="button" value="OK"/> <input type="button" value="Cancel"/>
<div> <div>Message-1</div> <div>Message-2</div> </div>	

Address Book - Main Identity

File Edit View Tools Help

☐ ☐ ☐

C-Folder-1
 C-Folder-2
 C-Folder-3
 C-Folder-4
 Group-1
 Group-2

☐ **CF1** Contact-1
☐ CF1 Contact-2
☐ CF1 Contact-3
☐ CF1 Contact-4

1613





FIG. 14

FIG. 20



continue / presso / rifugio



~~Break moment~~

Note Drapery

word-1 word-2

word set-1 word set-2

etc } mental or
actual authentic

new system as part phrase
of phrase

new rhythm or just phrase

Remote Hadley (⁴ predominant circumstances)

(Treatments and
interference help)

Exhaust
ground

mult-file test
multiple highlight

checked frequently
over

gen
not
not
not

Divided From
or not - ~~sub~~typed list

~~1.44~~
~~+~~ ~~under~~

Remote

m. H. pl. under

- Each potentially including data carrying
- The forms (primarily) better locked up

Illustrated very
boldly, but
appears to me
with exaggeration!

simple

complex
(here, 2 elements)

eg: Goto <Folklore> Message

[]
 []
 Folder
 IN BOX
 MISS

897
1511661